1. RDP usage is only meant for IT support purposes - Virtual Terminal users are NOT to be using RDP

- a. Windows XP:
 - i. Open Remote Desktop Application.
 - ii. Click the top left of window, and select **About**
 - iii. If it says that Network Level Authentication (NLA) is not supported, then enable NLA:

Click **Start**, click **Run**, type **regedit**, and then press ENTER.

In the navigation pane, locate and then click the following registry subkey:

HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Control\Lsa

In the details pane, right-click Security Packages, and then click Modify.

In the **Value data** box, type **tspkg**. Leave any data that is specific to other SSPs, and then click **OK**.

In the navigation pane, locate and then click the following registry subkey: $\label{local_machine} \begin{tabular}{l} HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Control\SecurityProviders \end{tabular}$

In the details pane, right-click

SecurityProviders

, and then click Modify.

In the **Value data** box, type **credssp.dll**. Leave any data that is specific to other SSPs, and then click **OK**.

Exit Registry Editor.

Restart the computer.

- b. Windows Vista/7:
 - i. Open Remote Desktop Application.
 - ii. Click the top left of window, and select **About**
 - iii. Check for Network Level Authentication support. To enable, go to Control Panel > Systems > Remote Settings. Select Allow connections only from computers running Remote Desktop with Network Level Authentication (more secure)

You should also be ensuring that only certain users are permitted to use RDP via the Control Panel > System > Remote settings configurations. You will also need to update the Sophos Firewall policy to include these restrictions.